

INDEX MAPS.

T. 30 N. R. 9 W. 2nd Mer.

	359	359	359	359	358	358
361	6	5	4	3	2	1 356
361	7	8	9	10	11	12 357
	<i>Beaver Lake.</i>					
361	18	17	16	15	14	13 357
360	19 367	20 367	21 365	22 364	23 362	24 357
360	30 368	29 366	28 365	27 364	26 362	25 357
360	31 367	32 366	33 364	34 363	35 362	36 358
	356	355	355	355	355	355

T. 31 N. R. 9 W. 2nd Mer.

	380	380	380	379	379	378
382	6 405	5 398	4 396	3 392	2 384	1 378
382	7 404	8 398	9 395	10 392	11 385	12 377
382	18 403	17 397	16 395	15 391	14 385	13 377
382	19 401	20 397	21 394	22 390	23 384	24 377
381	30 400	29 396	28 393	27 389	26 383	25 377
381	31 399	32 388	33 389	34 389	35 383	36 376
	376	376	375	375	375	375

The figures on the lines refer to the page.

Township 30 North Range 9 West 2nd Mer. Ind^d 355

South Boundary

+ Var. 5' 55" E,

West on South Side Sec. 36

Bogus in marsh

40.00 Set gr. Sec. post from which

W. Y. oak 20 in. dia. bears S. 39 E. 310 lks. dist.

W. " Do 4 " " " S. 40 E. 242 " "

80.00 Set post cor. to Sec. 35 & 36 in marsh water too deep to raise a mound, scattering oak on East 50 chains soil poor

West on South Side Sec. 35

40.00 Set gr. Sec. post, water too deep to raise a mound

80.00 Set post cor. to Sec. 34 & 35, no mound water too deep, land all marsh & poor

West on South Side Sec. 34

40.00 Set gr. Sec. post from which

W. Y. oak 12 in. dia. bears S. 75 W. 411 lks. dist.

W. " Do 13 " " " S. 26 W. 161 " "

80.00 Set post cor. to Sec. 33 & 34 no mound, water too deep, Land as before

West on South Side Sec. 33

31.50 Leave marsh

40.00 Set gr. Sec. post from which

W. Y. oak 12 in. dia. bears N. 17 E. 70 lks. dist.

W. " Do 10 " " " N. 9 W. 103 " "

72.52 W. Y. oak 18 " "

80.00 Set post cor. to Sec. 32 & 33 from which

W. Y. oak 10 in. dia. bears N. 66 E. 84 lks. dist.

W. " Do 10 " " " N. 11 E. 79 " "

Land west of marsh rolling 2nd rate, oak East of marsh as before

West on South Side Sec. 32

T. 30 N. — R. 9 W. 2nd Mer. Ind. @

- 6.45 @ Y. oak 8 in. dia.
 22.31 @ W. oak 14 " "
 40.00 Set gn. Sec. post from which
 @ Y. oak 22 in. dia. bears N. 38° W. 77 lks. dist.
 @ W. oak 26 " " " N. 84½° W. 1.50 " "
 55.00 Enter wet prairie
 80.00 Set post cor. to Sec. 31 & 32 a mound can
 be made in dry time. land East of prairie as
 before. Timber oak, prairie 2nd rate

- West on South Side Sec. 31
 110.00 Set gn. Sec. post from which
 @ Y. oak 12 in. dia. bears S. 70° W. 41 lks. dist.
 @ W. oak 10 " " " S. 24° E. 3.33 " "
 81.40 Set post cor. for Town, in water 2 or 3 feet
 deep no mound nor bearings, land all
 wet prairie Soil 2nd rate

Surveyed July 2nd, 1834 by

Robert Clark Esq.

Deputy Surveyor

East Boundary

(Cor. 5° 30' E)

- South on East Side Sec. 1
 Began in wet prairie
 8.00 Leave wet prairie
 15.93 @ Y. oak 12 in. dia.
 38.50 Enter wet prairie
 40.00 Set gn. Sec. post from which
 @ W. oak 7 in. dia. bears N. 2° W. 1.68 lks. dist.
 @ " Do 20 " " " N. 16° W. 2.26 " "
 55.00 Leave wet prairie & Set post on North
 Margin of Lake from which
 @ W. oak 7 in. dia. bears N. 1/2° W. 16.68 lks. dist.
 no other trees near
 80.00 Corner to Sec. 1 & 12 in Lake land

357

Y 30 N. B. 9 Y. 2nd Mar. Ind. C

Continued by E. Goodnow—

rolling + 3rd rate N. of Lake. Sinken oak
 55.00 Enter marsh
 80.00 Set post in marsh cor to Sec. 1 & 12 no bearings
 Too wet to make a mound

South on East Side Sec. 12
 11.40 to Beaver Lake, where set post no mound
 40.00 Set gr. Sec. cor. in Lake
 80.00 Cor. to Sections 12 & 13 in Lake

South on East Side Sec. 13
 40.00 gr. Sec. cor. in Lake
 80.00 Cor. to Sec. 13 & 24 in Lake

South on East Side Sec. 24
 37.00 South margin of Lake & marsh where set
 post from which
 @ W. oak 30 in. dia. bears N. 88 W. 3.03 lks. dist.
 @ Y. oak 24 " " " S. 61 W. 2.57 " "
 40.00 Set gr. Sec. post from which
 @ Y. oak 16 in. dia. bears N. 74 W. 2.21 lks. dist.
 @ " Do 14 " " " N. 61 W. 2.53 " "
 56.00 Leave marsh & enter grove of timber
 63.00 Leave grove & enter marsh again
 80.00 Set post cor. to Sec. 24 & 25 from which
 @ W. oak 8 in. dia. bears S. 88 W. 8.82 lks. dist.
 @ Y. oak 9 " " " S. 42 W. 4.02 " "
 Same level + 3rd rate oak timber

South on East Side Sec. 25
 3.50 Leave marsh
 7.20 @ Y. oak 10 in. dia.
 11.00 Enter marsh
 40.00 Set gr. Sec. post from which
 @ W. oak 8 in. dia. bears N. 40 W. 4.24 lks. dist.
 no other near

T. 30 N. — R. 9 W. 2nd Sec. Nov. 1st 1834

80.00 Set post cor. to Sec. 25 & 36 in marsh
water 100 deep for a mound & no trees
Land as much as before

South on East Side Sec. 36

40.00 Set gr. Sec. post. in marsh no mound no
bearings water deep

80.00 Set post cor. to Towns 29 & 30 of Range 8 & 9 W.
from which

@ Y. oak 20 in. dia. bears S. 29 W. 370 lks. dist.

@ W. oak 10 " " " S. 13 E. 500 " "

Land all marsh

Surveyed February 3rd 1834 by
Robert Clark Jr.
Deputy Surveyor.

North Boundary

(Bear 5° 55' E)

West on South Side Sec. 36 T. 31 N. R. 9 W.

8.00 Leave wet prairie

40.00 Set gr. Sec. post from which

@ Y. oak 22 in. dia. bears N. 40° E. 49 lks. dist.

@ " Do. 12 " " " N. 72° W. 64 " "

53.18 @ B. oak 13 " "

80.00 Set post cor. to Sec. 35 & 36 from which

@ Y. oak 10 in. dia. bears N. 48 E. 64 lks. dist.

@ B. oak 14 " " " N. 19 W. 125 " "

Land rolling sandy & poor timber mostly Y.
oak,

West on South Side Sec. 35 T. 31 N. R. 9 W.

15.20 Set post on E. margin of Lake from which

@ W. oak 8 in. dia. bears N. 27 3/4 W. 5.34 lks. dist.

@ " Do 12 " " " N. 33 1/4 W. 5.58 " "

40.00 gr. Sec. cor. in Lake

80.00 cor. in Lake to Sections 34 & 35

Land level & Second rate East Side of Lake
Timber oak.

West	on South Side Sec. 34 T. 31 N. R. 9 W.
40.00	gr. Sec. cor. in Lake
80.00	Corner in Lake to Sections 33 & 34
West	on South Side Sec. 33 T. 31 N. R. 9 W.
40.00	gr. Sec. cor. in Lake
58.00	Set post on west margin of Lake on a center poe. wet prairie from which
	" Y. oak 4 in. dia. bears S. 83 1/2 W. 10.83 lks. dist.
	" Y. oak 12 " " " N. 41 W. 7.23 " "
80.00	Set post cor. to Secs. 32 & 33 from which
	" Y. oak 6 in. dia. bears N. 87 1/2 E. 9.07 lks. dist.
	" Do 4 " " " S. 24 E. 4.66 " "
	Land level & poor west of Lake some Scattering oak.
West	on South Side Sec. 32 T. 31 N. R. 9 W.
40.00	Set gr. Sec. post from which
	an Aspin 8 in. dia. bears S. 61 1/2 W. 10.57 lks. dist.
	" Do 7 " " " S. 63 3/4 W. 10.50 " "
80.00	Set post cor. to Secs. 31 & 32 & for meander post on East Side of Lake from which
	an Aspin 8 in. dia. bears N. 79 E. 5.17 lks. dist.
	" Do 8 " " " N. 84 1/2 E. 4.13 " "
	Land flat & poor wet prairie interspersed with small groves of oak & Aspin
West	on South Side Sec. 31 T. 31 N. R. 9 W.
40.00	gr. Sec. cor. in Lake
47.00	Leave Lake & Set post on W. side from which
	" Y. oak 30 in. dia. bears S. 68 1/2 W. 2.57 lks. dist.
	" W. oak 8 " " " N. 88 1/2 W. 3.38 " "
64.80	" Do 9 " " "

T. 30 N. R. 9 W. 2nd Mer. Indiana

- 73.00 Enter wet prairie
 80.20 To West Boundary 2.33 lks N. of Temp. post where
 Set post from which (T. 30 & 31 N. R. 9 & 10 W.)
 to Y. Oak 16 in. dia. bears S. 48 $\frac{1}{2}$ W. 431 lks. dis.^t
 to " Do 15 " " " N. 41 $\frac{1}{2}$ W. 538 " "
 Land west of Lake flat & poor thin timber
 with oak

Surveyed in February 1st 1834 by
 Sylvester Subley
 Dep^t Sur,

West Boundary

(Oak, 5th 40th E.)

- North on East Side S. e. 36 T. 30 N. R. 10 W.
 Began in wet prairie
 40.00 Set gr. S. e. post from which
 to Y. Oak 30 in. dia. bears N. 2 $\frac{1}{2}$ W. 933 lks. dis.^t
 to " Do 8 " " " N. 1 $\frac{1}{2}$ E. 994 " "
 80.00 Set post cor. to S. e. 25 & 36. where a mound
 can be made when not frozen. Land flat
 & 2nd rate a few scattering trees,

- North on East Side S. e. 25 T. 30 N. R. 10 W.
 26.00 Leave wet prairie
 40.00 Set gr. S. e. post from which
 to W. Oak 8 in. dia. bears S. 26 W. 69 lks. dis.^t
 to " Do 16 " " " N. 55 W. 48 " "
 68.53 to Y. Oak 12 " "
 80.00 Set post cor. to S. e. 24 & 25 from which
 to Y. Oak 14 in. dia. bears S. 21 W. 103 lks. dis.^t
 to W. Oak 14 " " " N. 75 W. 33 " "
 Land North of prairie rolling & 2nd rate timber oak

- North on East Side S. e. 24 T. 30 N. R. 10 W.
 19.61 to Y. Oak 4 in. dia.
 40.00 Set gr. S. e. post from which

T. 30 N. — R. 9 W. 2nd Mo. Indiana

361

@ W. oak 10 in. dia. bears S. 26 W. 60 lbs. dist.
 @ " Do 12 " " " N. 78 W. 40 " "
 68.54 @ " Do 8 " " "
 80.00 Set post cor. to Sec. 13 & 24 from which
 @ B. oak 7 in. dia. bears S. 16 W. 1.62 lbs. dist.
 @ W. oak 12 " " " N. 50 $\frac{1}{2}$ W. 3.35 " "
 Land & much as before

North on East Side Sec. 13 T. 30 N. R. 10. W.
 13.00 border of marshy Lake, called by the Indians the
 Devil's Lake - no post nor bearings, did not at the
 time think it necessary to measure the Lake
 where this line runs,
 40.00 gr. S. e. cor. in Lake
 80.00 cor. to Sec. 12 & 13 in Lake, Land South of
 Lakes as before

North on East Side Sec. 12 T. 30 N. R. 10. W.
 40.00 gr. S. e. cor. in Lake
 47.20 Set post on North margin of Lake from wh.
 @ Y. oak 8 in. dia. bears N. 24 E. 32 lbs. dist.
 @ " Do 6 " " " S 78 W. 1.79 " "
 47.50 point of Timber from west
 51.00 Lanco point & Enter marsh
 80.00 Set post cor. to Sec. 1 & 12 from which
 @ Y. oak 30 in. dia. bears S. 66 W. 3.24 lbs. dist.
 @ W. oak 30 " " " N. 87 $\frac{1}{2}$ W. 3.98

North on East Side Sec. 1 T. 30 N. R. 10. W.
 40.00 Set gr. S. e. post, no mound nor bearings or deep
 80.00 Temporary Town corner,
 (T. 30 & 31 N. R. 9 & 10 W.) All west prairie
 Surveyed February 3rd 1834 by
 Robert Clark Esq.
 Deputy Surveyor,

T. 30 N. — R. 9 W. 2nd Sec. 36

C.S.

Subdivisions

		Bar. 5 ⁰⁰ ' 6)
North	Between Sections 35 & 36	
40.00	Set gr. S. E. post, no mound nor bearings	
80.00	Set post in marsh cor. to S. E. 25, 26, 35 & 36 no mound nor bearings, land level & marshy 3 rd . rate growth cane. Rice flag grap & b,	
East	on Random between Sec 25 & 36	
80.00	Intersect Range line 5 lbs. S. of post, land level Soil & productions same as last line	
West	Connect line between Sec 25 & 36	
40.00	Set gr. S. E. post in marsh no mound nor bearings	
80.00	Section corner	
North	Between Sections 25 & 26	
40.00	Set gr. S. E. post in marsh no mound nor bearings	
80.00	Set post in marsh cor. to S. E. 23, 24, 25 & 26 Land level, Soil & productions same as last line	
East	on Random between Sec 24 & 25	
67.50	Enter Oak grove	
72.00	Leave " do	
79.80	Intersect E. line of Sec 24 60 lbs. N. of post Land level & marshy 3 rd . rate growth flag cane. Rice & grap,	
West	Connect line between Sec 24 & 25	
39.90	Set gr. S. E. post in marsh no mound nor bearings	
79.80	Section corner	
North	Between Sections 23 & 24	
35.25	Enter grove	
40.00	Set gr. S. E. post from which O. B. Oak 18 in. dia. bears N. 71 E. 8 lbs. dis.	

Q.L. @ W. Oak 18 in. dia. bears S. 55 $\frac{1}{2}$ W. 55 lbs. dist.
 45.13 Intersect Beaver Lake and set post corner to
 Sections 23 & 24 from which
 @ B. Oak 18 in. dia. bears S. 42 E. 19.2 lbs. dist.
 @ " Do 18 " " " S. 7 $\frac{1}{2}$ W. 2.94 " "
 Land level & marshy except grove 3rd rate, W. & B.
 Oak, in marsh same as last line
 February 18th 1835

West True line between Sections 1 & 12
 5.10 intersect Beaver Lake where set post cor. to Sec.
 1 & 12 no mound nor bearings land level &
 marshy, growth wild rice & grass,

South Between Sections 1 & 2
 10.98 Set post on margin of Beaver Lake cor. to Sec.
 1 & 2, no mound nor bearings no land level &
 marshy 3rd rate, growth sedge & water grass,
 Feb 19th 1835

North Between Sections 34 & 35
 39.00 Enter Oak grove
 40.00 Set gr. S. e. post from which
 @ Hack Oak 7 in. dia. bears S. 81 $\frac{1}{2}$ E. 41 lbs. dist.
 @ Do Do 8 " " " S. 10 $\frac{1}{2}$ W. 35 " "
 46.00 Leave grove & Enter marsh
 80.00 Set post cor. to Sec. 26 & 27, 34 & 35 no mound
 nor bearings — Land level and marshy, natural
 productions flag, cane, bulrush, Sedge grass & C,
 Soil 3rd rate,

East on Randon between Sec. 26 & 35
 79.51 intersect E. line of Sec. 19 the S. of post, land
 level & marshy, Soil & productions same as
 last line

T. 30 N. — R. 9 W. 2nd Mer. Indiana,

West	Correct line between Sec. 26 & 35
39.75 $\frac{1}{2}$	Set quarter Sec. post no mound nor bearings
79.51	Section Corner,
North	Between Sections 26 & 27
40.00	Set gr. Sec. post post in marsh no mound nor bearings
58.00	Enter grove
66.18	@ Blk. Oak 15 inches in diameter
67.50	Leave grove & Enter marsh
80.00	Set post cor. to Sec. 22, 23, 26, & 27, no mound nor bearings land level, soil sandy & marshy, growth same as last line timber in grove oak,
East	on Random between Sec. 23 & 26
79.43	intersect E. line of Sec. 10 lks. N. of post, land level & marshy, soil poor, some rice lubrush water grass &c,
West	Correct line between Sec. 23 & 26
39.71 $\frac{1}{2}$	Set gr. Sec. post in marsh no mound nor bearings
79.43	Section Corner,
North	Between Sections 22 & 23
4.50	Enter grove
9.93	@ Blk. Oak 24 in. diam.
13.00	Leave grove & Enter marsh
25.31	Intersect Beaver Lake & set post on Margin cor. to Sec. 22 & 23 no mound nor bearings, land level & marshy, grove somewhat elevated, timbered with Oak, soil & productions same as last line,
North	Between Sections 33 & 34
40.00	Set gr. Sec. post in marsh no mound nor bearings,

T₃₀ N₁ - R₁ 9 Y₁ 2nd Sec. Indiana,

365

80.00 Set post in marsh cor. to S. c. 27, 28, 33 & 34 no mound nor bearings, land level & marshy, 2nd rate growth prairie or swamp grass,

East on Random between S. c. 27 & 34

4.50 Enter small grove of scattering white & blk. oak,
12.00 Leave grove & enter marsh
80.17 intersect E. line of S. c. 20 lks. N. of post, land level & marshy 3rd rate, cane, rice butrush grass &c,

West Connect line between S. c. 27 & 34

40.08½ Set gr. S. c. post in marsh no mound nor bearings,
80.17 Section corner,

North Between Sections 27 & 28

40.00 Set gr. S. c. post in marsh no mound nor bearings,
80.00 Set post in marsh cor. to S. c. 21, 22, 27 & 28, no mound nor bearings, land level, soil and productions same as last line

East on Random between S. c. 22 & 27

39.00 Enter grove
57.50 Leave do & enter prairie
79.36 intersect E. line of S. c. 12 lks. N. of post, land level, soil sandy 2nd rate timber oak. - grass

West Connect line between S. c. 22 & 27

39.68 Set gr. S. c. post from which
2 W. oak 15 in. dia. bears N. 60 E. 16 lks. dist.
2 " Do 12 " " " S. 49 E. 25 " "
79.36 Section corner,

North Between Sections 21 & 22

5.80 Intersect Beaver Lake, where set post on Margin Cor. to S. c. 21 & 22, no mound nor bearings, land level & marshy soil & productions same as last line

T. 30 N. — R. 9 W. 2nd Mer. Indiana

C.S.	February 20 th 1835
North	Between Sections 32 & 33
26.50	2 Blk. Oak 5 in. diam.
40.00	Set gr. Sec. post from which 2 W. Oak 30 in. dia. bears S. 37 W. 25 lks. dist. 2 B. Oak 6 " " " N. 40 E. 88 " "
73.00	Enter wet prairie
80.00	Set post cor. to Sec. 28, 29, 32 & 33 from which 2 W. Oak 30 in. dia. bears S. 39 W. 43 lks. dist. 2 B. Oak 12 " " " N. 45 $\frac{1}{2}$ W. 350 " " Sand rolling, 3 rd rate Soil loose sand, Timber Blk. & White oak no undergrowth,
East	on Random between Sec. 28 & 33
49.96	Intersect E. line of Sec. 6 lks. S. of post. land level 2 nd rate and rather marshy, growth prairie and Swamp grass
West	Correct line between Sec. 28 & 33
39.98	Set gr. Sec. post in marsh no mound no bearings
49.96	Section corner,
North	Between Sections 28 & 29
11.25	Enter grove of Blk. & White oak.
18.50	Leave " " " " do
40.00	Set gr. Sec. post in marsh no mound no bearings
80.00	Set post in marsh cor. to Sec. 20, 21, 28 & 29, land level & marshy, 2 nd rate - growth bulrush & grass.
East	on Random between Sec. 21 & 28
80.58	Intersect E. line of Sec. 9 lks. S. of post. land level very marshy, 3 rd rate, cane, wild rice, Bulrush grass &c.
West	Correct line between Sec. 21 & 28

367

T. 30 N. — R. 9 W. 2nd Mer. Indiana

40.29 Set gr. Sec. post in marsh, no mound or bearings,
80.58 Section corner,

February 21st 1835

North Between Sections 20 & 21

37.75 Enter at Beaver Lake, & Set post on margin thereof
of cor. to Sec. 20 & 21. Land level, 3rd rate, deep
Marsh. Cane [?] bulrush, flag, grass,

July 23rd 1835

North Between Sections 31 & 32, in prairie

40.00 Set gr. Sec. post from which
a Yack oak 4 in. dia. bears S. 63 W. 33 lbs. dist.
a W. oak 30 " " " N. 53 $\frac{1}{2}$ E. 87 " "

71.50 Enter Timber

80.00 Set post cor. to Sec. 29, 30, 31 & 32 from which
a W. oak 30 in. dia. bears N. 81 W. 21 lbs. dist.
a " Do 30 " " " S. 44 $\frac{1}{2}$ E. 138 " "
Land level 2nd rate, prairie not covered with
prairie grass, Timber B. & W. oak no undergrowth,

East on Random between Sec. 29 & 32

66.75 Enter best prairie

79.76 Intersect E. line of Sec. 25 the N. of post, land
rolling 3rd rate very sandy, Bln & white
oak no undergrowth,

West Correct line between Sec. 29 & 32

39.88 Set gr. Sec. post from which
a B. oak 15 in. dia. bears S. 82 E. 39 lbs. dist.
a " Do 24 " " " N. 87 W. 57 " "

51.00 a W. oak 20 " "

74.00 a B. oak 24 " "

79.76 Section corner,

West on Random between Sec. 30 & 31

S. 30 N. — R. 9 W. 2 E. Nov. Indiana

57.50 Enter level prairie

80.91 Intersect Range line 15 lks N. of post, land level & sandy 3rd rate, timber W. & B. oak undergrowth the same

East Correct line between Sec. 30 & 31 return near
34.90 a W. oak 22 in. dia.

40.91 Set gr. Sec. post from which
a W. oak 15 in. dia. bears S. 56 E. 15 lks. dist.
a B. oak 4 " " " N. 41 W. 28 " "

80.91 Section Corner.

North Between Sections 29 & 30

16.35 a Gash oak 6 in. diam.

22.19 a Bk. oak 30 " "

32.50 Leave timber & enter marshy prairie

40.00 Set gr. Sec. post no mound nor bearings

50.00 Set post in marsh cor. to Sec. 19, 20, 29 & 30
no mound nor bearings, timber land rolling
-ing, white & Bk. oak, Marsh level

February 22nd 1835

West on Range line between Sec. 19 & 30

44.00 Leave marsh & enter timber

80.32 Intersect Range line 4 lks N. of post, land
in marsh level, in timber rolling, W. & B.
oak & Bk. Gum in marsh, Bullrush cane &
grass.

East Correct line between Sec. 19 & 30

a B. oak 20 in. dia. bears S. 42 E. 42 lks. dist.

a W. oak 24 " " " N. 39 E. 80 " "

2.00 a B. oak 18 " "

11.00 " " Do 20 " "

40.32 Set gr. Sec. post in marsh no mound nor bearings

80.32 Section Corner

East	on Random between Sec. 20 & 29
80.00	Intersect E. line of Sec. 20 the N. of post, land level. deep moraf. 3 rd rate, cane flag. bullrush grass &c,
West	Correct line between Sec. 29 & 20
110.00	Set gr. Sec. post in marsh no mound no bearings,
80.00	Section corner,
East	True line between Sec. 18 & 19
24.25	Leave Timber & Enter marsh
34.50	Set post on margin of Lake cor. to Sec. 18 & 19 no mound no bearings, land rolling Soil sandy 3 rd rate, Timber white & Blk oak marsh covered with grass
North	Between Sections 19 & 20
40.00	Set post on margin of Lake in marsh cor. to Sec. 19 & 20 no mound no bearings, land level & marshy, 3 rd rate bullrush, flag, cane & grass
East	True line Between Sec. 6 & 7
11.50	Set post on margin of Beaver Lake. cor. to Sec. 6 & 7 no mounds nor bearings, land level & marshy, 3 rd rate - growth ledge & prairie grass February 24 th , 1835
South	Between Sections 4 & 5
15.50	Enter grove
16.22	2 W. oak 24 in. dia.
18.09	Set post on margin of Beaver Lake. cor. to Sec. 4 & 5 from which 2 B. oak 6 in. dia. bears N. 44 $\frac{1}{2}$ W. 36 lbs. dia. ⁴ 2 " D. 12 " " " S. 57 $\frac{1}{2}$ E. 12 " " land level & marshy, Soil 3 rd rate timber in grove oak prairie cor. with ledge & water grass July 25 th , 1835

T 30 N. R. 9 W. 2nd Mer. Indiana

Course	C.S.	Meanders of Beaver Lake beginning at post on line between Towns 30 & 31. north Side of Section 9
S. 48 E.	10.50	in Sec. 2
S. 59½ E.	8.68	To post on line between Sec. 1 & 2
S. 43 E.	10.34	In Sec. 1
N. 79 E.	4.39	
S. 43½ E.	11.73	
S. 44½ E.	15.00	
S. 64 E.	8.86	
S. 59½ E.	18.61	
S. 33½ E.	36.38	To post on line between Sec. 1 & 12
S. 23 E.	12.50	In Sec. 12 To post on line between Ranges 8 & 9
N. 21½ W.	13.47	In Sec. 24. From post in Range line
S. 89 W.	11.53	
S. 87 W.	8.62	
N. 73 W.	17.45	
S. 78 W.	15.11	
S. 67½ W.	21.17	To post on line between Sec. 23 & 24 February 19 th 1835
S. 86½ W.	42.03	on left Bank, in Sec. 23. From post on line between Sec. 23 & 24
S. 54 W.	14.70	
S. 76½ W.	27.50	To post on line of Sec. 22 & 23
S. 67 W.	26.00	In Sec. 22
S. 76½ W.	12.55	
N. 89½ W.	28.67	
S. 39½ W.	8.96	
S. 76½ W.	8.94	To post on line between Sec. 21 & 22
N. 87½ W.	35.97	In Sec. 21

<i>Course C. L.</i>	<i>Meanders of Beaver Lake continua</i>
<i>N. 58 1/2 W. 21.07</i>	
<i>N. 55 W. 32.79</i>	<i>To post on line between Sec. 20 & 21</i>
<i>N. 60 1/2 W. 19.11</i>	<i>In Sec. 20</i>
<i>S. 87 1/2 W. 12.84</i>	
<i>N. 46 1/2 W. 7.53</i>	
<i>S. 84 W. 16.45</i>	
<i>West 12.95</i>	
<i>S. 57 W. 17.42</i>	<i>To post on line between Sec. 19 & 20</i>
	<i>February 23rd, 1835</i>
<i>N. 47 1/2 W. 39.61</i>	<i>In Sec. 19</i>
<i>N. 53 1/2 W. 21.02</i>	<i>To post on line between Sec. 18 & 19</i>
<i>N. 66 1/2 W. 24.11</i>	<i>In Sec. 18</i>
<i>N. 76 W. 12.72</i>	<i>To post on Range line</i>
	<i>from which</i>
	<i>2 W. oak 24 in. dia. bears S. 46 E. 57 W. dist.</i>
<i>N. 48 1/2 E. 3.00</i>	<i>In Sec. 7 West Side. From post in Range line</i>
<i>N. 17 E. 32.02</i>	<i>To post on line between Sec. 6 & 7</i>
<i>N. 60 1/2 E. 54.66</i>	<i>In Sec. 6</i>
<i>N. 15 W. 15.46</i>	
<i>N. 1 E. 27.82</i>	
<i>N. 31 W. 9.50</i>	
<i>S. 70 1/2 W. 12.82</i>	
<i>N. 32 W. 9.75</i>	<i>To post on Town line July 24th 1835</i>
	<i>from post on Town line co. to Sec. 5 & 6</i>
<i>S. 75 1/2 E. 28.77</i>	<i>In Sec. 5</i>
<i>S. 78 E. 53.20</i>	<i>To post on line between Sec. 4 & 5</i>
<i>N. 65 E. 8.85</i>	<i>In Sec. 4</i>
<i>N. 49 E. 20.63</i>	<i>To post on Town line. July 25th 1835</i>

T. 30 N. — R. 9 W. 2nd Mer. Indiana,

This Township contains no good land, & only a little in the S. M. Corner that is any, the whole Township with the Exception above named is a Lake or deep Marsh & in many places it is impossible to ascertain the precise boundary of the Lake, the marsh is 3 or 4 feet deep the Lake has no outlet that I have discovered. I suppose however it finds a vent through the marshes in the South part of the Township into Beaver Lake in Township 29 of the same Range, the timber is scattering & shrubby & of little value,

I hereby certify that in pursuance of a contract with Mr. J. Williams Surveyor General of the United States, for the State of Ohio & Indiana & the Territory of Michigan, bearing date the 26th of Sept. 1834 & in strict conformity to the laws of the United States & the Instructions of said Surveyor General, I have Surveyed & subdivided into Sections, Township No. 30 North of Range No. 9 West of the 2nd Principal Meridian in the State of Indiana, And I do further certify that the foregoing are the true & original field notes of said Survey & Subdivision Executed as aforesaid. Certified the 27th day of February 1835.

Samuel Goodnow

Deputy Surveyor

Robt. P. Wilson }
George Hoover } chainmen
Evel Gains } Markers

Compd

T. 30 N. — R. 9 W. 2nd Mer. Indiana 373

I Certify that the foregoing transcript of field notes of Township 30 North of Range 9 West 2nd Meridian State of Indiana has been compared with the original in this office and found to be correct

William Johnston
Surf. Genl.

Surveyor General's office
Cincinnati, Dec^r 30th - 1842
